

PROPOSED LOBBY RENOVATION:
TUSCOLA COUNTY HEALTH
DEPARTMENT
1309 CLEAVER ROAD SUITE B
CARO, MICHIGAN 48723-9135

CODE REVIEW

ALL CODES REFERENCED ARE TO BE USED AS AMENDED BY
THE STATE OF MICHIGAN AND THE CITY OF CARO
PROJECT DESCRIPTION
PROJECT INVOLVES TENANT REMODELING FOR A 5,438 NSF TENANT SPACE IN AN EXISTING BUILDING
WITH A TOTAL SQUARE FOOTAGE OF 16,367 S.F.
BUILDING CODES AND DESIGN CRITERIA THE CITY OF CARO, MICHIGAN.

- 2021 MICHIGAN Building Code (MBC)
- 2018 International Fire Code (IFC)
- State of MICHIGAN Electric Code (2023 NEC)
- State of MICHIGAN Mechanical Code (2021 MMC)
- State of MICHIGAN Plumbing Code (2021 MPC)
- State of MICHIGAN Energy Code (2021 IECC)

USE AND OCCUPANCY CLASSIFICATION: GROUP "B"(CHAPTER 3 SEC. 303.4)

SPRINKLER: BUILDING IS EQUIPPED WITH AUTOMATIC FIRE EXTINGUISHING SPRINKLER SYSTEM
LOCATED IN PROJECT AREA

SPECIAL DETAILED REQUIREMENTS BASED ON USE AND OCCUPANCY: (CHAPTER 4)

GENERAL BUILDING HEIGHTS AND AREA: (CHAPTER 5)

ALLOWABLE BUILDING HEIGHT IN FEET ABOVE GRADE PLANE:	(TABLE 504.3)
ALLOWABLE NUMBER OF STORIES ABOVE GRADE PLANE:	(TABLE 504.4)
ALLOWABLE AREA FACTOR IN SQUARE FEET:	(TABLE 506.2)
REQUIRED SEPARATION OF OCCUPANCIES IN HOURS:	(TABLE 508.4)

TYPES OF CONSTRUCTION: (CHAPTER 6)

CONSTRUCTION TYPE:	TYPE 5-B (CHAPTER 6)	
FIRE-RESISTANCE RATING REQUIREMENTS FOR BUILDING ELEMENTS IN HOURS:		(TABLE 601)
STRUCTURAL FRAME:	0	
BEARING WALLS		
EXTERIOR:	0	
INTERIOR:	0	
NON-BEARING WALLS & PARTITIONS:		
EXTERIOR:	0	
INTERIOR:	0	
FLOOR CONSTRUCTION:	0	
ROOF CONSTRUCTION:	0	

FIRE AND SMOKE PROTECTION FEATURE

FIRE WALLS -	PER MBC 706
FIRE BARRIERS -	PER MBC 707
FIRE PARTITIONS -	PER MBC 708
SMOKE BARRIERS -	PER MBC 709
SMOKE PARTITIONS -	PER MBC 710
FLOOR & ROOF ASSEMBLIES -	PER MBC 711
SHAFT ENCLOSURES -	PER MBC 713
DUCTS & TRANSFER OPENINGS -	PER MBC 717

INTERIOR FINISHES: (CHAPTER 8)

INTERIOR WALL & CEILING FINISH REQUIREMENTS BY OCCUPANCY:		(TABLE 803.11)
USE GROUP: B		
INTERIOR EXIT STAIRWAYS AND RAMPS AND EXIT PASSAGEWAYS:	B	
CORRIDORS AND ENCLOSURE FOR EXIT ACCESS STAIRWAYS AND RAMPS:	B	
ROOMS AND ENCLOSED SPACES:	C	
INTERIOR EXIT STAIRWAYS AND RAMPS AND EXIT PASSAGEWAYS:	A	
CORRIDORS AND ENCLOSURE FOR EXIT ACCESS STAIRWAYS AND RAMPS:	B	
ROOMS AND ENCLOSED SPACES:	C	

FIRE PROTECTION SYSTEMS: (CHAPTER

BUILDING IS REQ'D TO HAVE AUTOMATIC FIRE SUPPRESSION SYSTEM
FIRE EXTINGUISHERS TO COMPLY W/ MBC. 906
FIRE ALARMS: NOT REQUIRED- PER MBC 907.2.1

MEANS OF EGRESS: (CHAPTER 10)

MAXIMUM FLOOR AREA ALLOWANCES PER OCCUPANT:	(TABLE 1004.1.2)
SPACES WITH ONE EXIT OR EXIT ACCESS DOORWAY:	(TABLE 1006.2.1)
OCCUPANCY: A MAXIMUM OCCUPANT LOAD OF SPACE: EXISTING WITH OWNER SIGNED AFFIDAVIT	
MAXIMUM COMMON PATH OF EGRESS TRAVEL DISTANCE WITHOUT SPRINKLER SYSTEM, 0L-30: 75 FEET	
MINIMUM NUMBER OF EXITS OR ACCESS TO EXITS PER STORY: OCCUPANT LOAD PER STORY: 1-500	(TABLE 1006.3.1)
MINIMUM NUMBER OF EXITS OR ACCESS TO EXITS FROM STORY: 2 NUMBER PROVIDED 5 EXISTING	
PROVIDE ILLUMINATIONS LEVEL OF AN AVERAGE OF 1 FOOTCANDLE ALONG EGRESS ROUTE. EGRESS ILLUMINATION TO COMPLY WITH MBC 1008 PROVIDE ILLUMINATED EXIT SIGNS AT ALL EXITS- PER MBC 1013	

EXIT ACCESS TRAVEL DISTANCE: (TABLE 1017.2)
USE GROUP: B
WITHOUT SPRINKLER SYSTEM: 200 FEET

SHEET INDEX

CS1.0	COVER SHEET
D1.0	DEMOLITION FLOOR PLAN
A1.0	OVER ALL FLOOR PLAN
A2.0	ENLARGED FLOOR PLAN
A3.0	ROOM FINISH FLOOR PLAN
A4.0	REFLECTED CELING FLOOR PLAN
A5.0	ELECTRICAL FLOOR PLAN
A6.0	ELECTRICAL POWER FLOOR PLAN

SCOPE OF WORK:

1. CONTRACTOR TO PROVIDE DEMOLITION OF EXISTING LOBBY WALLS, FLOOR COVING, AND ACOUSTICAL CEILING TILE, AND LIGHTING.
- CONTRACTOR TO PROVIDE ALL NEW WALLS AND CEILING GRID, TILES AND LIGHTING RELOCATION.
2. OWNER/GENERAL CONTRACTOR AND GENERAL CONTRACTORS SUB-CONTRACTORS TO PROVIDE THE CITY INSPECTOR AND TAO DESIGN WITH AS BUILT DRAWINGS, AND HOLD HARMLESS TAO DESIGN AND THE CITY OF CARO FOR ANY AND ALL CONSTRUCTION METHODS, NO OCCUPANCY PERMITS REQUIRED. ALL WORK SHALL BE IN ACCORDANCE WITH SUCH AND ALL CONSTRUCTION METHODS ARE MET PER THE MICHIGAN(ALL) BUILDING CODES.
3. OWNER/GENERAL CONTRACTOR AND GENERAL CONTRACTORS SUB-CONTRACTORS HAVE FULL RESPONSIBILITY OF THE PROJECT AND WILL HOLD HARMLESS TAO DESIGN SERVICE AND MJW CONSULTING FOR ALL METHODS OF CONSTRUCTION AND WILL ME ALL CODE REQUIREMENTS BASED ON THE CURRENT MICHIGAN BUILDING CODES WITH NO EXCEPTIONS.

$$\text{T}_{\text{AO}}$$

T.A.O.
Design Services, LLC
Design | Engineering | Interior Design
5494 McNAMARA LANE
FLINT, MICHIGAN 48506
(PH) 810-820-1436
TAODESIGN@YAHOO.COM

PROPOSED LOBBY RENOVATION FOR;
TUSCOLA COUNTY
HEALTH DEPARTMENT
1309 CLEAVER ROAD SUITE B
CARO, MICHIGAN 48723-9135

M JW

CONSULTING, LLC
4398 Roger B Chaffee
Memorial Blvd SE, Suite E
Grand Rapids, MI 49548



While every attempt has been made to produce error-free documents, it is the responsibility of the bulbar owner and the client to verify all relevant information and to make any necessary corrections or modifications preceding commencement of work. Prior to acceptance of these documents, the engineer takes full responsibility for changes, errors and/or omissions, but is relieved of these responsibilities once these documents have been accepted by the way of client signature. The design and original drawings of this project remain the property of T.A.O. Design and MWM Consulting, LLC, and no additional portions or parties may use the design and/or drawings without the written consent of T.A.O. Design, MWM Consulting, LLC, Alan Ogde and Michael J. Wysocki.

	ISSUED FOR	DATE
	OWNER APPROVAL	04.30.26
▲	ADMMN # 1 CARPET, 12' X 12' FLR TILE CEILING TILES LOCK SETS	08.05.26
	BIDS	08.05.26
	PERMITS	08.30.26

DATE :
DRAWN BY:
CHECKED :
SCALE :
JOB NO : TAO-25-0001 TUSCOLA COUNTY HEALTH DEPT

COVER SHEET
SHEET
CS1.0

NOTE:

1. SUB CONTRACTOR TO VERIFY ALL DIMENSIONS IN FIELD PRIOR TO THE PREPARATION OF ALL SHOP DRAWINGS, CONSTRUCTION AND TO NOTIFY TAO DESIGN SERVICES AND MJW OF ALL DISCRIPANCY.

2. CONTRACTOR TO ENCAPSULATE ALL EXPOSED SPRAY INSUL.

NO EXPOSED SPRAY INSUL. SHALL BE ALLOWED PER MICHIGAN 2021 BUILDING CODE.