




**PROPOSED LOBBY RENOVATION FOR;  
TUSCOLA COUNTY  
HEALTH DEPARTMENT**  
1309 CLEAVER ROAD SUITE B  
CARO, MICHIGAN 48723-9135

CONSULTING, LLC  
4398 Roger B Chaffee  
Memorial Blvd SE, Suite B,  
Grand Rapids, MI 49548



|           |                                           |
|-----------|-------------------------------------------|
| DATE :    |                                           |
| DRAWN BY: |                                           |
| CHECKED : |                                           |
| SCALE :   |                                           |
| JOB NO :  | TAO-25-0001 TUSCOLA COUNTY<br>HEALTH DEPT |

SHEET TITLE :

OVER ALL  
FLOOR PLAN  
SHEET  
**A1.0**



NORTH

SCALE: 1/8" = 1'-0"

NOTE:

USE AND OCCUPANCY CLASSIFICATION:

USE GROUP: "B"

CONSTRUCTION TYPE: 5B

PROJECT AREA - SPRINKLED

PROJECT S.F. TOTAL 16,367 EXISTING SQ. FT.

GENERAL NOTES:

1. GENERAL CONTRACTOR TO COMPLY WITH CODES CURRENTLY IN EFFECT IN CARO, MICHIGAN.: MICHIGAN BUILDING CODE 2021, MICHIGAN PLUMBING CODE 2021 ,2021 MICHIGAN ENERGY CODE MICHIGAN ELECTRICAL CODE 2023 AND MICHIGAN MECHANICAL CODE 2021.

2. ASSUMED SOIL BEARING CAPACITY OF 1500 P.S.F.,  
CONTRACTOR TO VERIFY IN FIELD AND NOTIFY ARCHITECT IF THIS CANNOT BE  
ACHIEVED FOR POSSIBLE RE-DESIGN.

3. MECHANICAL AND ELECTRICAL BY OTHERS

4. CONTRACTOR AND / OR OWNER TO PROVIDE MTD. BUILDING ADDRESS NUMBERS PER. MBC 2015 (MIN. 4" IN HEIGHT)

5. BUILDING IS A DESIGN BUILD PROJECT BY OWNER

KEY:

EMG. EXIT LIGHT

◆ CAMERA LOCATION BY OTHERS

☒ FIRE EXTINGUISHER ABC DRY CHEMICAL 10#  
SODIUM SULFATE AMERICAN UI 300  
HMIS INDUSTRIAL CLASS 4A80 BC

**NOTE:**

NOTE:  
1. SUB CONTRACTOR TO VERIFY ALL DIMENSIONS IN FIELD PRIOR TO THE PREPARATION OF ALL SHOP DRAWINGS, CONSTRUCTION AND TO NOTIFY TAO DESIGN SERVICES AND MJW OF ALL DISCREPANCY.  
2. CONTRACTOR TO ENCAPSULATE ALL EXPOSED SPRAY INSUL.  
NO EXPOSED SPRAY INSUL. SHALL BE ALLOWED PER MICHIGAN 2021 BUILDING CODE.